



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2016


Version number 12

Revision: 07.03.2016

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: KEIM Lignosil-Base**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** wood-primer
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
KEIMFARBEN GMBH  
Keimstraße 16 / 86438 Diedorf  
Tel. +49 (0)821 4802-0  
Fax +49 (0)821 4802-210  
www.keimfarben.de / info@keimfarben.de
- **Further information obtainable from:**  
Product safety department  
Telefon: 49(0)821/4802-138  
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**  
GBK GmbH Global Regulatory Compliance  
Emergency number: +49(0)6132/84463

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
STOT RE 1      H372 Causes damage to organs through prolonged or repeated exposure.  
Route of exposure: Inhalation.  
Aquatic Chronic 3   H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**  
  
GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Naphtha (petroleum), hydrodesulfurized heavy (< 0,1% benzene)
- **Hazard statements**  
H372 Causes damage to organs through prolonged or repeated exposure. Route of exposure:  
Inhalation.  
H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 1)

- **Precautionary statements**
  - P102 Keep out of reach of children.
  - P260 Do not breathe mist/vapours/spray.
  - P273 Avoid release to the environment.
  - P270 Do not eat, drink or smoke when using this product.
  - P314 Get medical advice/attention if you feel unwell.
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
  - Contains 2-butanone oxime. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-82-1 919-164-8 Index number: 649-330-00-2 Reg.nr.: 01-2119473977-17-XXXX	Naphtha (petroleum), hydrodesulfurized heavy (< 0,1% benzene) ⚠ STOT RE 1, H372; Asp. Tox. 1, H304; Aquatic Chronic 3, H412	25-50%
CAS: 96-29-7 EINECS: 202-496-6 Index number: 616-014-00-0 Reg.nr.: 01-2119539477-28-XXXX	2-butanone oxime ⚠ Carc. 2, H351; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H312; Skin Sens. 1, H317	< 0,3%
CAS: 22464-99-9 EINECS: 245-018-1 Reg.nr.: 01-2119979088-21-XXXX	2-ethylhexanoic acid, zirconium salt ⚠ Repr. 2, H361d	< 0,3%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
  - With appearance of symptoms or in cases of doubt seek medical advice .
  - When seeing the doctor we suggest to present this safety data sheet.
- **After inhalation:**
  - Supply fresh air; consult doctor in case of complaints.
  - In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
  - Immediately wash with water and soap and rinse thoroughly.
  - Do not use solvents or thinners.

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 2)

- If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse mouth and throat well with water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
In case of fire, the following can be released:  
carbon oxide (CO<sub>x</sub>)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
In case of fire do not breath smoke, fumes and vapours.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Do not inhale fumes.  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Avoid contact with skin and eyes.  
Respect the protection rules (see section 7 a. 8).  
Keep away from ignition sources.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with non-combustible liquid-binding material (sand, diatomite, vermiculite).  
Ensure adequate ventilation.  
Dispose of the material collected according to regulations.  
Clear contaminated areas thoroughly.

(Contd. on page 4)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 3)

· **6.4 Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- Avoid contact with skin and eyes.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

· **Information about fire - and explosion protection:**

- Protect from heat.
- Fumes can combine with air to form an explosive mixture.
- Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

- Keep in the original containers in a cool and dry place.
- Keep container tightly closed . Do not empty container under pressure, non-pressure vessel !
- Close opened containers carefully and store upright, to prevent any leakage.

· **Information about storage in one common storage facility:**

- Store away from flammable substances.
- Do not store together with alkalis (caustic solutions).
- Do not store together with oxidising and acidic materials.

· **Further information about storage conditions:**

- Store receptacle in a well ventilated area.
- Protect from heat and direct sunlight.
- Protect from frost.

· **Storage class:** 6.1C

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**96-29-7 2-butanone oxime (< 0,3%)**

AGW (Germany)	Long-term value: 1 mg/m <sup>3</sup> , 0,3 ppm 8(I);AGS, Y, H, Sh
---------------	--

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 4)

**· DNELs****22464-99-9 2-ethylhexanoic acid, zirconium salt**

Oral	Long-term - systemic effects, consumer	4,51 mg/kg/day (consumer)
Dermal	Long-term - systemic effects, worker	6,49 mg/kg bw/day (worker)
	Long-term - systemic effects, consumer	3,25 mg/kg/day (consumer)
Inhalative	Long-term - systemic effects, worker	32,97 mg/m <sup>3</sup> (worker)
	Long-term - systemic effects, consumer	8,13 mg/m <sup>3</sup> (consumer)

**· PNECs****22464-99-9 2-ethylhexanoic acid, zirconium salt**

Aquatic compartment - freshwater	0,36 mg/l (freshwater)
Aquatic compartment - marine water	0,036 mg/l (marine water)
Aquatic compartment - sediment in freshwater	6,37 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	0,637 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	1,06 mg/kg dw (soil)
Sewage treatment plant	71,7 mg/l (sewage treatment plant)

**· Additional information:** The lists valid during the making were used as basis.**· 8.2 Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Ensure that washing facilities are available at the work place.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

**· Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Combination filter A2/P2

**· Protection of hands:** Protective gloves**· Material of gloves**

suitable material e.g.:

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0,5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**Value for the permeation: Level  $\geq 6$  (480 min)

(Contd. on page 6)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 5)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles
- **Body protection:**  
Protective work clothing  
Oil resistant protective clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Colourless
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

##### · Change in condition

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	> 176 °C

· **Flash point:** 62 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

##### · Explosion limits:

· <b>Lower:</b>	0,6 Vol %
· <b>Upper:</b>	7 Vol %

· **Vapour pressure:** Not determined.

· **Density at 20 °C:** 0,94\* g/cm<sup>3</sup>

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with water:**

Insoluble.

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 6)

- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic at 40 °C:** > 22,5 mm<sup>2</sup>/s
- **9.2 Other information**
  - \* The values are for freshly produced material and may change with the time.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Strong exothermic reaction with acids.  
Violent reactions with strong alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**  
Acids  
Bases  
oxidizing agents
- **10.6 Hazardous decomposition products:**  
No hazardous decomposition products if stored and handled as prescribed.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

#### 96-29-7 2-butanone oxime

Oral	LD50	930 mg/kg (rat)
Dermal	LD50	200-2000 mg/kg (rat)
Inhalative	LC50/4 h	20 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Has de-greasing effect on the skin.  
Repeated exposure may cause skin dryness or cracking.  
Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **during inhalation:**  
Vapours may cause drowsiness and dizziness.  
Irritant effect possible.

Naphtha (petroleum), hydrodesulfurized heavy (< 0,1% benzene): Asp. Tox. 1, H304 (see Section 3)  
(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 7)

- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation** Contains 2-Butanonoxim. May produce an allergic reaction.
- **Other information (about experimental toxicology):**  
Experimental analysis are not available.  
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
2-butanone oxime: Carc. 2, H351 (see Section 3)  
hexanoic acid, 2-ethyl-, cobaltsalt: Repr.2 H361d (see Section 3)
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**  
Causes damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**  
Harmful to aquatic organisms.  
May cause long-term adverse effects in the aquatic environment.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **AOX-indication:**  
Due to the substance of content which do include organic jointed halogens, the product can take influence on the AOX-load of the waste water.
- **General notes:**  
At present there are no ecotoxicological assessments.  
Do not allow product to reach ground water, water course or sewage system.  
Harmful to aquatic organisms  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Disposal must be made according to official regulations.

(Contd. on page 9)

DEN





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 8)

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**· European waste catalogue**

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

**· Uncleaned packaging:****· Recommendation:** Disposal must be made according to official regulations.**· Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information****· 14.1 UN-Number****· ADR, IMDG, IATA**

Void

**· 14.2 UN proper shipping name****· ADR, IMDG, IATA**

Void

**· 14.3 Transport hazard class(es)****· ADR, IMDG, IATA****· Class**

Void

**· 14.4 Packing group****· ADR, IMDG, IATA**

Void

**· 14.5 Environmental hazards:****· Marine pollutant:**

No

**· 14.6 Special precautions for user**

Not applicable.

**· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**· Transport/Additional information:**

No dangerous good in sense of these transport regulations.

**· UN "Model Regulation":**

Void

**SECTION 15: Regulatory information****· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· National regulations:****· Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 10)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

(Contd. of page 9)

- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
  - TRGS 200 (Germany)
  - TRGS 500 (Germany)
  - TRGS 510 (Germany)
  - TRGS 900 (Germany)
- **Substances of very high concern (SVHC) according to REACH, Article 57** not applicable
- **Product-Code/Giscode:** M-GF04
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H304 May be fatal if swallowed and enters airways.
  - H312 Harmful in contact with skin.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.
  - H351 Suspected of causing cancer.
  - H361d Suspected of damaging the unborn child.
  - H372 Causes damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.
  - H412 Harmful to aquatic life with long lasting effects.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
  - VOC: Volatile Organic Compounds (USA, EU)
  - DNEL: Derived No-Effect Level (REACH)
  - PNEC: Predicted No-Effect Concentration (REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - AGW: Arbeitsplatzgrenzwert (Germany)
  - EC10: Effective concentration at 10% mortality rate.
  - EC50: Half maximal effective concentration.
  - LC10: Lethal concentration at 10% mortality rate.
  - NOEC: No observed effect concentration.
  - REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
  - Acute Tox. 4: Acute toxicity, Hazard Category 4
  - Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
  - Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

(Contd. on page 11)



Page 11/11

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.03.2016

Version number 12

Revision: 07.03.2016

**Trade name: KEIM Lignosil-Base**

Carc. 2: Carcinogenicity, Hazard Category 2  
Repr. 2: Reproductive toxicity, Hazard Category 2  
STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1  
Asp. Tox. 1: Aspiration hazard, Hazard Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3  
· \* **Data compared to the previous version altered.**

(Contd. of page 10)

DEN